Beko TSE1264FMGN frigo combine Comptoir 114 L Gris





Marque : Beko

Code produit: TSE1264FMGN

Nom du produit : TSE1264FMGN

101L, 13L, 114L, T, 2 (kg/24h), 9h, 137 (kWh/a), 840x540x590mm, 30.5kg
Beko TSE1264FMGN. Placement de l'appareil: Comptoir, Couleur du produit: Gris, Réfrigération moyenne: R600a. Capacité nette totale: 114 L, Classe climatique: T, Classe d'émission sonore: C. Capacité nette du réfrigérateur: 101 L, Type de lampe: LED. Emplacement du compartiment à glace: Placé en haut, Capacité net du congélateur: 13 L, Capacité de congélation: 2 kg/24h. Longueur du câble: 1,5 m

Design	
Placement de l'appareil *	Comptoir
Couleur du produit *	Gris
Panneaux personnalisés prêt à l'emploi	✗
Portes réversibles	✓
Réfrigération moyenne	R600a
Matériau étagères	Verre

représentation / réalisation	
Capacité nette totale *	114 L
Classe climatique *	T
Classe d'émission sonore *	C
Niveau sonore *	36 dB
Système de refroidissement	Statique
Température minimale de fonctionnement	16 °C
Température maximale de fonctionnement	43 °C

Réfrigérateur	
Capacité nette du réfrigérateur *	101 L
Lumière intérieure du réfrigérateur	✓
Type de lampe	LED
No Frost (réfrigérateur) *	✓
Nombre de clayettes/bacs du réfrigérateur *	3
Nombre de tiroirs à légumes *	1
Compartiments de la porte du réfrigérateur	3
Compartiment à œufs	✓

Congélateur	
Capacité net du congélateur *	13 L
Capacité de congélation *	2 kg/24h
Autonomie en cas de panne de courant *	9 h
Nombre d'étoiles (indique les possibilités de conservation) *	4*
Nombre de clayettes/bacs du congélateur	1

Ergonomie	
Longueur du câble	1,5 m

Puissance	
Plage d’efficacité énergétique	A à G
Classe d'efficacité énergétique *	E
Indice d'efficacité énergétique (EEI)	100
Consommation annuelle d'énergie *	137 kWh
Tension d'entrée AC	230 V
Fréquence d'entrée AC	50 Hz

Poids et dimensions	
Largeur	540 mm
Profondeur	590 mm
Hauteur	840 mm
Poids	28 kg

Informations sur l'emballage	
Largeur du colis	576 mm
Profondeur du colis	601 mm
Hauteur du colis	896 mm
Poids du paquet	35,5 kg

Congélateur		Autres caractéristiques	
Emplacement du compartiment à glace *	Placé en haut	Pays d'origine	Turquie

8690842395659

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 26-JUN-2026. Prints or copies of Information are only valid on the printed Publication date